

UNCLASSIFIED

DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

AD-A200 742

1b. RESTRICTIVE MARKINGS

None

3. DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release; distribution unlimited.

2b. DECLASSIFICATION/DOWNGRADING SCHEDULE

4. PERFORMING ORGANIZATION REPORT NUMBER(S)

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TR- 88-1084

6a. NAME OF PERFORMING ORGANIZATION

University of Southern
California

**6b. OFFICE SYMBOL
(If applicable)**

7a. NAME OF MONITORING ORGANIZATION

Air Force Office of Scientific Research/NP

6c. ADDRESS (City, State, and ZIP Code)

Department of Electrical Engineering
Los Angeles, CA 90089-0484

7b. ADDRESS (City, State, and ZIP Code)

Bolling Air Force Base, Building 410
Washington, D.C. 20332-6448

**8a. NAME OF FUNDING/SPONSORING
ORGANIZATION**

Same As 7a

**8b. OFFICE SYMBOL
(If applicable)**

NP

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR-87-0043

8c. ADDRESS (City, State, and ZIP Code)

Same As 7b

10. SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NO.

PROJECT
NO.

TASK
NO.

WORK UNIT
ACCESSION NO.

61102F 2912 A 1

11. TITLE (Include Security Classification)

Instrumentation for High Speed Phase Conjugation. (Unclassified)

12. PERSONAL AUTHOR(S)

Dr. R.W. Hellwarth

13a. TYPE OF REPORT

Final Technical

13b. TIME COVERED

FROM 15 Oct '86 TO 14 Oct. 1987

14. DATE OF REPORT (Year, Month, Day)

1988 April 5

15. PAGE COUNT

3+Documentation pg

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD

GROUP

SUB-GROUP

20.06

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Optical beam phase conjugation, Picosecond optical pulses,
Optical polymers, Photorefractive materials. (np) <

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

With this equipment grant we have established and instrumented an optical laser source at 1.06 microns and three harmonics, with the added capability of a tunable dye laser pumped at any of these harmonics. Pulse lengths are available from 10 to 10⁶ picosecond. Maximum pulse energy is 0.4 J at 1.06 microns in 4 nsec. First measurements on new optical polymers show them to be promising as stable room-temperature nonlinear optical materials.

DTIC

ELECTE

OCT 13 1988

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

Unclassified

22a. NAME OF RESPONSIBLE INDIVIDUAL

Dr. Howard R. Schlossberg

22b. TELEPHONE (Include Area Code)

202/767-4906

22c. OFFICE SYMBOL

NP

88 1011 112

UNCLASSIFIED

AFOSR-TK- 88 - 1084**1. Objectives of the Research Effort**

1. To establish a flexible laboratory source of optical pulses of a variety of pulse lengths, wavelengths and energies.
2. To employ this facility in studies of nonlinear optical materials, and of fast phase conjugation and optical processing.

The pulse lengths will range from 10 psec to 100 nsec, the latter being uncommonly long to the state of the art. Pulse wavelengths will be 1.06 microns, 532 nm, 354 nm, 263 nm, and tunable in the ranges covered by dye lasers pumped at these wavelengths. Pulse energies will range up to 400 mJ Q-switched at 1.06 microns.

For the picosecond studies, the nonlinear optical materials of most immediate interest are photorefractive crystals (e.g., barium titanate and bismuth silicon oxide) and organic polymers, of the polyacetylene family, which have high optical nonlinearity.

The first objective for employment of the "long pulse" capability will be to make the first measurements of phase-conjugation by stimulated Brillouin scattering (SBS) in the steady state regime. (Previous phase-conjugation measurements in SBS have been transient.)

2. Status of This Research Effort

All major components of the purchased equipment were received before the end of the contract period. The "seeding system" which makes long pulse operation

and transform-limited pulses possible was received on 9/28/87. The frequency quadrupler was received on 3/7/87, and the remainder of the equipment outlined in the proposal was received on 1/9/87. Only the long-pulse capability is not yet operational, not surprising considering the advanced concept which is still being perfected in order to make this the first commercially available laser with such a long, high power, narrowband single-mode optical pulse.

With the picosecond pulse capability we have completed the first optical measurements on several of a new class of polymer developed by Dr. L. Dalton and co-workers at the University of Southern California under AFOSR support. These polymers are stable in air and at room temperature and still have a high optical nonlinearity comparable to unstable polyacetylene. Our first results have been accepted for presentation at the forthcoming 1988 Conference on Lasers and Electrooptics (see next section). New measurements are proceeding and show the new polymers to be very promising as optical materials of high nonlinearity and stability at room temperature.

3. Papers, Publications, and Interactions supported by This Project

"Picosecond nonlinear optical response of polymeric disubstituted ethylaminovinyl-polyaniline (pDEAVPA)," D.F. Bloch, X.F. Cao, R.W. Hellwarth and J.P. Jiang, paper WW2 at the 1988 Conference on Lasers and Electrooptics, 27 April, 1988 at Anaheim, California. Abstract in Conference Bulletin.

4. List of Professional Personnel Associated with the Research Effort

Professor Robert W. Hellwarth

Professor Jack Feinberg

Dr. Humberto Figueroa

Dr. Jouni Partanen

5. No degrees awarded yet from research with this equipment.

6. No patents applied for associated with this project.



Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Dist. Statement	
Availability Codes	
Dist	Avail. and/or Special
A-1	